2023 RYKER



PACKAGE HIGHLIGHTS

- · Priced to excite
- $\cdot \, \text{Designed for fun} \,$
- $\cdot \, \text{Easy to ride} \\$
- $\cdot\,100\,000$ ways to make it your own



RYKER 900		
SHOWN WITH INTENSE	BLACK	PANELS

	Rotax® 600 ACE™	Rotax® 900 ACE™	
ENGINE			
Туре	Rotax® 600 ACE™ in-line 2 cylinders, liquid-cooled with electronic fuel injection and electronic throttle control	Rotax® 900 ACE™ in-line 3 cylinders, liquid-cooled with electronic fuel injection and electronic throttle control	
Bore & stroke	74 x 69,7 mm (2.9 x 2.7 in.)	74 x 69,7 mm (2.9 x 2.7 in.)	
Power	50 hp (37.3 kW) @ 7300 RPM	82 hp (61.1 kW) @ 8000 RPM	
Torque	49.7 Nm (36.7 ft-lb) @ 6000 RPM	79.1 Nm (58.3 ft-lb) @ 6500 RPM	
CO2 emissions	127 g/km	143 g/km	
Fuel consumption	5.4 l/100 km (43.6 mpg)	6.08 l/100 km (38.7 mpg)	
TRANSMISSION			
Туре	Automatic (CVT) with reverse function		
CHASSIS			
Front suspension	Double wishbone		
Front shocks type / travel	SACHS† Twin-tube coil-over shocks / 136 mm (5.35 in.)		
Rear suspension	Multi-link - mono swing arm		
Rear shocks type / travel	SACHS† Twin-tube coil-over shocks with preload adjustment / 145 mm (5.71 in.)		
Electronic brake distribution system	Foot-operated, hyd	draulic 3-wheel brake	
Front brakes	270 mm discs with Nissi	in 2-piston floating calipers	
Rear brake	220 mm disc, 1-pi	iston floating caliper	
Parking brake	Par	'k lock	
Front tires	MC 145/60R16 66T		
Rear tire	MC 205/	45R16 77T	
Aluminum front rims	5-spoke Carbon black, 406 x 165 mm (16 x 6.5 in.)	10-spoke, Platinum silver, 406 x 114 mm (16 x 4.5 in.)	
Aluminum rear rim	5-spoke Carbon black, 406 x 165 mm (16 x 6.5 in.)	10-spoke, Platinum silver, 406 x 165 mm (16 x 6.5 in.)	
CAPACITY			
Rider capacity	1		
Maximum vehicle load	204 kg (449.7 lb)		
	7 L (1.85 gal)		
Storage capacity	/L(1	.oo gai)	
Storage capacity Fuel capacity	-	5.28 gal)	

	Rotax® 600 ACE™	Rotax® 900 ACE™
DIMENSIONS		
LxWxH	2,352 x 1,522 x 1,063 mm (92.6 x 59.9 x 41.9 in.)	2,352 x 1,522 x 1,060 mm (92.6 x 59.9 x 41.7 in.)
Wheelbase	1,709 mr	n (67.3 in.)
Seat height	599 mm (23.6 in.)	597 mm (23.5 in.)
Ground clearance	97 mm (3.8 in.)	
Dry weight	270 kg (594 lb) 280 kg (616 lb)	
INSTRUMENTATION		
Туре	4.5" digital display	
Main Functions	Speedometer, tachometer, odometer, trips, distance to empty, engine lights, fuel gauge and clock	Speedometer, tachometer, odometer, trips, distance to empty, engine lights, fuel gauge, clock, ECO mode and Sport mode
SAFETY & SECURITY		
SCS	Stability Co	ntrol System
TCS	Traction Control System	
ABS	Anti-lock Braking System	
Anti-theft system	Digitally Encoded Security System (D.E.S.S.™)	
HHC	Hill Hol	d Control
COVERAGE		
Factory Warranty	2-year BRP Limited Warranty	
Roadside Assistance*	2-year roadside assistance provided by Allianz Assistance world leader in Automotive and Travel assistance, on behalf of BRP.	
FEATURES		
	Front fenders with i Dual U Glov	adlamps (55-W) integrated LED lights ISB port we box
		ve box waterproof seat





* In the UK, you can ride Can-Am On-Road vehicles with a car licence (B) from the age of 21 years old. In Norway and Finland, you can ride Can-Am On-Road vehicles with a car licence (B) under certain conditions. More details on A and B licence requirements at canamonroad.com/licence. For all other countries, please ask your local authority.

CLASSIC SERIES¹







EXCLUSIVE SERIES²



EPIC SERIES









NEW PANELS











Icepop Blue

Lemon Twist

Silver Lava

Gold Rush

FEATURE HIGHLIGHTS



AUTOMATIC TRANSMISSION (CVT)

No need to worry about changing gears as your continuously variable transmission will find the perfect combination of performance and fuel efficiency for you.



Can be adjusted tool-free to fit the rider and provide a personalized and comfortable riding experience.



ENGINE OPTIONS

The 2-cylinder Rotax 600 ACE is the ultimate in accessible performance, while the 3-cylinder Rotax 900 ACE is the power & excitement standard of choice!



Vehicle Stability System that uses a variety of technologies, including SCS / ABS / TCS, to monitor the vehicle and keep the rider confident on the road.



DRIVESHAFT

Highly durable and robust driveshaft technology will help you enjoy a smooth ride all along the way. No need for further adjustment, alignment or maintenance.



CUSTOMIZATION

The Can-Am Ryker was engineered to be almost infinitely customizable with 1 or 2-up options! Mere moments are all it takes to give it a transformation.



2023 RYKER RALLY



PACKAGE HIGHLIGHTS

- Go off the beaten path
- Designed for fun with access to new playgrounds
- Unique rugged style
- Authentic all-road rally experience







SHOWN WITH INTENSE BLACK PANELS

Rotax® 900 ACE™

Type	Rotax® 900 ACE™ in-line 3 cylinders,
.71	liquid-cooled with electronic fuel injection
	and electronic throttle control
Bore & stroke	74 x 69,7 mm (2.9 x 2.7 in.)
Power	82 hp (61.1 kW) @ 8000 RPM
Torque	79.1 Nm (58.3 ft-lb) @ 6500 RPM
CO2 emissions	143 g/km
Fuel consumption	6.08 l/100 km (38.7 mpg)
TRANSMISSION	
Туре	Automatic (CVT) with reverse function
CHASSIS	
Front suspension	Double wishbone
Front shock type / travel	KYB† HPG with remote reservoir 4-positions compression adjustable damping and preload adjustment / 185 mm
	(7.28 in.)
Rear suspension	Multi-link - mono swing arm
Rear shocks type / travel	KYB† HPG with remote reservoir 4-positions compression adjustable damping and preload adjustment / 179 mm (7.05 in.)
Electronic brake distribution system	Foot-operated, hydraulic 3-wheel brake
Front brakes	270 mm discs with Nissin 2-piston floating calipers
Rear brake	220 mm disc, 1-piston floating caliper
Parking brake	Park lock
Front tires	MC 145/60R16 66T
Rear tire	MC 205/55R15 81T
Aluminum front rims	Rally, White, 406 x 114 mm (16 x 4.5 in.)
Aluminum rear rim	Rally, White, 381 x 165 mm (15 x 6.5 in.)
CAPACITY	
Rider capacity	1
Maximum vehicle load	187 kg (412.2 lb)
Storage capacity	7 L (1.85 gal)
Fuel capacity	20 L (5.28 gal)
Fuel type	Premium unleaded

Rotax® 900 ACE™

DIMENSIONS	
LxWxH	2,532 x 1,522 x 1,090 mm (92.6 X 59.9 X 42.9 in.)
Wheelbase	1,709 mm (67.3 in.)
Seat height	676 mm (26.6 in.)
Ground clearance	122 mm (4.8 in.)
Dry weight	303 kg (668 lb)
INSTRUMENTATION	
Туре	4.5" digital display
Main Functions	Speedometer, tachometer, odometer, trips, distance to empty, engine lights, fuel gauge, clock, ECO mode and Rally mode
SAFETY & SECURITY	
SCS	Stability Control System
TCS	Traction Control System
ABS	Anti-lock Braking System
Anti-theft system	Digitally Encoded Security System (D.E.S.S.™)
ннс	Hill Hold Control
COVERAGE	
Factory Warranty	2-year BRP Limited Warranty
Roadside Assistance*	2-year roadside assistance provided by Allianz Assistance, world leader in Automotive and Travel assistance, on behalf of BRP.
FEATURES	
	2 halogen headlamps (55 W), Front fenders with integrated LED lights, Dual USB port, Glovebox, MA) Mount Structure, Reinforced rims, Rally tires, Front grille protection, Structural hand guards, Rally mode Cruise control, Akrapovic† exhaust, Rally handlebar, Rally comfort seat, Adjustable large anti-slip foot pegs, Front vehicle protection, Large aluminum skid plate, Air intake with pre-filter, Rally mud flaps





* In the UK, you can ride Can-Am On-Road vehicles with a car licence (B) from the age of 21 years old. In Norway and Finland, you can ride Can-Am On-Road vehicles with a car licence (B) under certain conditions. More details on A and B licence requirements at canamonroad.com/licence. For all other countries, please ask your local authority.

CLASSIC SERIES¹







EXCLUSIVE SERIES²



Sand Storm

EPIC SERIES







Racer Red



Liquid Titanium Pinky Pineapple

NEW PANELS









Icepop Blue

Lemon Twist

Silver Lava

Gold Rush

FEATURE HIGHLIGHTS



AKRAPOVIC EXHAUST

Unique sound signature and high-end exhaust.



FULL KYB HPG SHOCKS

Front and rear KYB HPG shocks with remote adjusters and 1 inch of extra suspension travel to optimize your ride and improve comfort.



Mint Freeze

MAX MOUNT STRUCTURE

Makes the unit 1+1 ready. It also increases the carrying capacity for different storage options.



INCREASED VEHICLE PROTECTION

Get extra protection for higher durability with front vehicle protection, aluminum skid plate under the vehicle and reinforced rims.



UNIQUE RALLY EXPERIENCE

A vehicle designed for all-road trips with hand guards, Rally comfort seat for a more reactive rider position, mud flaps and large anti-slip adjustable foot pegs.



RALLY MODE & TIRES

Allows you to have more flexibility and fun off-pavement by optimizing VSS input and enabling you to perform controlled drifts with adapted all-road tires.

¹Choice of one set of Classic Panels included at the vehicle purchase. ²Exclusive Panel Kits are available in limited quantities.



2023 RYKER SPORT



PACKAGE HIGHLIGHTS

- Exciting & thrilling ride
- Designed for fun
- · Bold sport styling
- Added comfort and convenience







SHOWN WITH INTENSE BLACK **PANELS**

Rotax® 900 ACE™

DIMENSIONS

Type	Rotax® 900 ACE™ in-line 3 cylinders,	
7 1.	liquid-cooled with electronic fuel injection	
	and electronic throttle control	
Bore & stroke	74 x 69,7 mm (2.9 x 2.7 in.)	
Power	82 hp (61.1 kW) @ 8000 RPM	
Torque	79.1 Nm (58.3 ft-lb) @ 6500 RPM	
CO2 emissions	143 g/km	
Fuel consumption	6.08 l/100 km (38.7 mpg)	
TRANSMISSION		
Туре	Automatic (CVT) with reverse function	
CHASSIS		
Front suspension	Double wishbone	
Front shock type / travel	KYB† HPG with preload ajdustment 161 mm (6.34 in.)	
Rear suspension	Multi-link - mono swing arm	
Rear shocks type / travel	KYB† HPG with remote reservoir 4-positions	
	compression adjustable damping and preload adjustment / 169 mm (6.65 in.)	
Electronic brake distribution system	Foot-operated, hydraulic 3-wheel brake	
Front brakes	270 mm discs with Nissin 2-piston floating calipers	
Rear brake	220 mm disc, 1-piston floating caliper	
Parking brake	Park lock	
Front tires	MC 145/60R16 66T	
Rear tires	MC 205/45R16 77T	
Aluminum front rims	5-spoke, Deep Black, machined and tinted, 406 x 114 mm (16 x 4.5 in.)	
Aluminum rear rim	5-spoke, Deep Black, machined and tinted, 406 x 165 mm (16 x 6.5 in.)	
CAPACITY		
Rider capacity	1	
Maximum vehicle load	199 kg (438.7 lb)	
Storage capacity	7 L (1.85 gal)	
Fuel capacity	20 L (5.28 gal)	
Fuel type	Premium unleaded	

Rotax® 900 ACE™

LxWxH	2,352 x 1,522 x 1,073 mm (92.6 x 59.9 x 42.2 in.)	
Wheelbase	1,709 mm (67.3 in.)	
Seat height	629 mm (24.7 in.)	
Ground clearance	101 mm (4.0 in.)	
Dry weight	291 kg (642 lb)	
INSTRUMENTATION		
Туре	4.5" digital display	
Main Functions	Speedometer, tachometer, odometer, trips, distance to empty, engine lights, fuel gauge, clock, ECO mode and Sport mode	
SAFETY & SECURITY		
SCS	Stability Control System	
TCS	Traction Control System	
ABS	Anti-lock Braking System	
Anti-theft system	Digitally Encoded Security System (D.E.S.S.™)	
ннс	Hill Hold Control	
COVERAGE		
Factory Warranty	2-year BRP Limited Warranty	
oadside Assistance* 2-year roadside assistance provided by Allianz Assistance, world leader in Automotive and Travel assistance, on behalf of BRP.		
FEATURES		
	2 halogen headlamps (55 W)	
	Front fenders with integrated LED lights	
	Dual USB port	
	Glovebox	
	Full rear fender	
	Sport comfort seat	
	MAX Mount Structure	
	Sport style trims and finishes	

Cruise control Sport mode





* In the UK, you can ride Can-Am On-Road vehicles with a car licence (B) from the age of 21 years old. In Norway and Finland, you can ride Can-Am On-Road vehicles with a car licence (B) under certain conditions. More details on A and B licence requirements at canamonroad.com/licence. For all other countries, please ask your local authority.

CLASSIC SERIES¹







EXCLUSIVE SERIES²





Mint Freeze

EPIC SERIES









Pinky Pineapple

Sand Storm

NEW PANELS











Icepop Blue

FEATURE HIGHLIGHTS



CRUISE CONTROL

No need to keep the throttle at all times, the cruise control can be switched on to maintain a selected constant speed.



Gold Rush

FULL KYB† HPG SHOCKS

KYB HPG shocks with remote adjusters on the rear for different riding experiences.



MAX MOUNT STRUCTURE

Makes the unit 1+1 ready. It also increases the carrying capacity for different storage options.



SPORT MODE

Allows you to have more fun on paved roads. Sport mode loosens the traction control of the rear wheel enabling you to perform controlled drifts.



DRIVESHAFT

Highly durable and robust driveshaft technology will help you enjoy a smooth ride all along the way. No need for further adjustment, alignment or maintenance.



SPORT STYLE TRIMS AND FINISHES

Modern design with a sleeker look for sport style enthusiasts.



